

CONCERT P1

Designed by Jørn Utzon 2005

LIGHT
YEARS



Concert P1

During his work in creating Concert, Jørn Utzon sought to develop a pendant with a pure and organic idiom of design. The chosen shade configuration is visually characteristic of Jørn Utzon and reminds us of his greatest work. Concert gives a pleasant, non-glaring light without compromising the strength of illumination. Concert P1 is built up of four shades and a parabola of drawn steel, which is mounted on a glass suspension of triple-layer, hand-blown opal glass. The suspension unit sends out a pleasant, even light between the shades. At the same time, it illuminates the two upward shades and part of the cord. The bottom shade casts light downward to the parabola, which then diffuses it. The parabola not only softens the light, but prevents glare – regardless of the height of the lamp.

Surface

White lacquer.

Material

Shade: Drawn steel.

Suspension: Acid frosted glass.

Installation

Suspension: White textile cable 2x0,75mm².

Canopy: White. Cable length: 3m.

Class

IP20, , Class of insulation II.


Product family



Pendant 1



Pendant 3




Product code	EAN no.	Surface	Light source	Max light source dimensions	Total weight
54003405	5702370034054	White, white cord	E27 max 75W E27 Liliput Plus 20W	Max length: 100 mm Max diameter: 65 mm	2,4 kg

CONCERT P1

Designed by Jørn Utzon 2005

LIGHT[®]
YEARS



CONCERT P3

Designed by Jørn Utzon 2008

LIGHT
YEARS



Concert P3

During his work in creating Concert, Jørn Utzon sought to develop a pendant with a pure and organic idiom of design. The chosen shade configuration is visually characteristic of Jørn Utzon and reminds us of his greatest work. Concert gives a pleasant, non-glaring light without compromising the strength of illumination. Concert P3 is built up of four shades and a parabola of drawn steel, which is mounted on a glass suspension of triple-layer, hand-blown opal glass. The suspension unit sends out a pleasant, even light between the shades. At the same time, it illuminates the two upward shades and part of the cord. The bottom shade casts light downward to the parabola, which then diffuses it. The parabola not only softens the light, but prevents glare – regardless of the height of the lamp.

Surface

White lacquer.

Material

Shade: Drawn steel.

Suspension: Acid frosted glass.

Installation

Suspension: White textile cable 2x0,75mm².

Canopy: White Cable and wire length: 6m.

Class

IP20, , Class of insulation II.


Product family



Pendant 1



Pendant 3



Product code	EAN no.	Surface	Light source	Max light source dimensions	Total weight
74003505	5702370035051	White, white cord	E27 max 200W E27 Liliput Plus 30W	Max length: 180 mm Max diameter: 85 mm	6,5 kg

CONCERT P3

Designed by Jørn Utzon 2008

LIGHT[®]
YEARS

