


VELA

TYPOGRAPHY

RP-E-21



Rakumba


WWW.RAKUMBA.COM
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2021

Rakumba







TYPOGRAPHY VELA

RP-E-21

Named for the VELA constellation, this new family of spherically formed luminaires suggesting celestial bodies interprets the Typography rail as the axis of an orbital space. The distinctive plate feature alludes to the occlusion and shadowing created during eclipses, changing as the viewer moves about space.

This interplay of light and shadow is a fundamental aspect of Typography VELA. Bringing drama through Calder-evoking sculpture - either minimalist or extravagant - VELA invites designers to exercise

creativity using the incredibly versatile Typography system as the backbone. A palette of black, golden, and De Stijl inspired colourways allow for every installation to stand as a unique artistic piece.

VELA: captivating constellations of light and shadow.



“In the Typography system, lights attach to the rail in all dimensions. Visually, this works similarly to the way planets orbit the sun. This translates perfectly to Vela, which evokes feelings of constellations, of orbiting planets.”

————— Studio Truly Truly







"We experiment with geometric shapes that distort the viewer's perception, creating constellations which, although static, give the impression of movement."


———— Studio Truly Truly



The element of 'light' itself is interesting because there's the glow, the reflection, shadows, the intensity, the warmth. Crafting with light is fascinating because it's a really playful 'ingredient' - a crucial part of the mystery.

———— Studio Truly Truly





Globe 60

Globe 85

Globe 110

Amid

Eclipse 75

Eclipse 110


Eclipse 150

MATERIALS & FINISHES

STEM



BLACK ANODISED



WHITE

PLATE



BLACK ANODISED



GOLDEN ANODISED



RED



BLUE



YELLOW




WHITE

CUSTOM COLOURS AVAILABLE

“A visual dance happens with the addition of the discs that are parallel to the light but perpendicular to the rail. Together with the illuminated spheres, they can be seen to reveal the image of all the phases of the moon - from eclipse to waning crescent.”

———— Studio Truly Truly



OPTIONS

RAIL SYSTEM

RAIL LENGTH:	☐	150MM	☐	500MM
	☐	750MM	☐	1000MM
	☐	1200MM	☐	1500MM
	☐	1800MM	☐	2000MM
	☐	2500MM	☐	2800MM
	☐	CUSTOM (MAX 2800MM)		

FINISH:	☐	BLACK
---------	-----------------------	-------

MOUNTS:	☐	CEILING MOUNT	☐	CANOPY
	☐	WALL MOUNT		(FOR CONCRETE
	☐	COUNTER TO CEILING		SUBSTRATE)
	☐	WALL TO WALL		

DIMMING:	☐	NON DIMMABLE (REMOTE DRIVER)
	☐	PHASE CUT/TRIAC (REMOTE DRIVER)
	☐	DALI/SWITCH-DIM (REMOTE DRIVER)
	☐	1-10V (REMOTE DRIVER)
	☐	CASAMBI WIRELESS (REMOTE DRIVER)

LUMINAIRES

MODEL	☐	GLOBE 60
	☐	GLOBE 85
	☐	GLOBE 110
	☐	AMID
	☐	ECLIPSE 75
	☐	ECLIPSE 110
	☐	ECLIPSE 150

STEM FINISH	☐	BLACK ANODISED
	☐	WHITE

PLATE FINISH	☐	BLACK ANODISED
	☐	GOLDEN ANODISED
	☐	WHITE
	☐	RED
	☐	BLUE
	☐	YELLOW
	☐	CUSTOM



DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS

LUMINAIRES


GLOBE 60
RP-E-2106

85




GLOBE 85
RP-E-2107

110





GLOBE 110
RP-E-2108

140



AMID
RP-E-2109

85





ECLIPSE 75
RP-E-2110

450

290

140





ECLIPSE 110
RP-E-2111

205

151

34





ECLIPSE 150
RP-E-2112

250


130

100



PENDANTS

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 7 VELA
LIGHTS IN ANY LOCATION



COMPOSITIONS


A



B




C



D




E




GANTRY

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 7 VELA
LIGHTS IN ANY LOCATION




COMPOSITIONS


A



B




C




3D CHANDELIERS

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 7 VELA
LIGHTS IN ANY LOCATION




WALL RAILS

CUSTOM COMPOSITIONS MAY BE CURATED
USING COMBINATION OF THE 7 VELA
LIGHTS IN ANY LOCATION




RAIL SYSTEM DETAILS

LENGTH




The maximum continuous length of a vertical or horizontal rail is 2.8m. Longer horizontal lengths can be created using inline joiners (see - right).

CONNECTING RAILS




Horizontal rails may be aesthetically connected to create long spans, but power does not transfer across the joint. Each side of the joint needs to be connected to a power supply.

MOUNT - SURFACE




Fixed surface mount for ceiling, wall, or counter top attachment.

MOUNT - CANOPY




Optional canopy may be used where electrical connection outside the wall/ceiling is required.

SPAN




Whilst the system has no maximum horizontal length, the maximum distance between vertical supports is 2m.

CANTILEVER




Maximum horizontal cantilever is 0.5m and 0.5kg. Refer to product data page for luminaire weights.

MOUNT - ADJUSTABLE



Adjustable surface mount provides for up to 20mm length variation for connecting between two parallel surfaces.


DIMMING



The standard driver for VELA is capable of PHASE CUT dimming - a DALI or 1-10V dimming driver can be provided on request. All VELA lights dim together.


RAIL SYSTEM DETAILS

DRIVER - REMOTE



The TYPOGRAPHY driver may be located up to 5M away for the fitting to maintain correct power supply.

DRIVER - ON RAIL



Optional on-rail driver may be used where a remote driver cannot be installed.


CASAMBI BLUETOOTH CONTROL



Optional Casambi Bluetooth control.

DIMENSIONS

RAIL CONFIGURATION



FIXED SURFACE MOUNT

RAIL OVERLAP CONNECTION

ADJUSTABLE SURFACE MOUNT
± 20MM RANGE

DATA

TYPOGRAPHY SYSTEM RP-E-1801	RAIL SYSTEM RP-E-1801-S1
DESIGN	STUDIO TRULY TRULY
POWER	UP TO 70W (200W AVAILABLE ON REQUEST)
PRIMARY VOLTAGE (TO DRIVER)	240VAC
SECONDARY VOLTAGE (TO FITTING)	24VDC CONSTANT VOLTAGE
PRODUCT WEIGHT	0.6KG PER 1M
PACKED WEIGHT	APPROX. 1.25KG PER 1M
PACKED DIMENSIONS	1 @ 11 X 11 X CUSTOM LENGTH CM
DRIVER LOCATION	REMOTE OR ON-RAIL
IP RATING	IP20
APPROVALS	AUSTRALIA, EUROPE

* SPECIFICATIONS DEPEND ON CHOSEN LUMINAIRES, PLEASE SEE INDIVIDUAL DATA

LUMINAIRES	GLOBE 60 RP-E-2106	GLOBE 85 RP-E-2107	GLOBE 110 RP-E-2108	AMID RP-E-2109	ECLIPSE 75 RP-E-2110	ECLIPSE 110 RP-E-2111	ECLIPSE 150 RP-E-2112
DESIGN	STUDIO TRULY TRULY						
LIGHTSOURCE	INTEGRATED LED						
POWER	4W						
LUMENS (DELIVERED)	300lm						
COLOUR TEMPERATURE	2700K						
CRI	CRI90						
PRODUCT WEIGHT	0.1 KG	0.1 KG	0.2 KG	0.2 KG	0.2 KG	0.2 KG	0.5 KG
PACKED WEIGHT	0.5 KG	0.5 KG	0.6 KG	0.6 KG	0.6 KG	0.6 KG	1 KG
PACKED DIMENSIONS	-	-	-	-	-	-	-
IP RATING	IP20						
L70	50,000 HOURS						
APPROVALS	AUSTRALIA, EUROPE						



STUDIO TRULY TRULY

Truly Truly is a Rotterdam (NL) based design studio founded by Australian husband and wife design team Joel & Kate Booy. The studio operates on the interface between industry and art. Kate and Joel run a versatile practice, creating textiles, lighting, furniture and spatial installations for internationally renowned design brands.