


YALE LOW TABLE

(Designer Jean Marie Massaud)



Low coffee tables, in rectangular and square shape, featuring the same design of the Yale sofa frame.

Frame

In extruded aluminium and legs in die-cast aluminium, lacquered in matt white.

Tops

- In white resin, thickness 9 mm
- In arabesque Carrara marble, thickness 20 mm, with anti-stain treatment.

As a natural material, marble may show different veins and chromatic patterns.


Variations on marble surfaces may occur. These imperfections give marble its individual character.

For further information on materials, please see on page 4.52.

Dims

H 30 cm: 44x150 cm, 75x150 cm, 75x75 cm and 140x140 cm

H 19 cm: 75x75 cm and 140x140 cm.



MATERIALS

CRISTALPLANT® for 4VS_ † Flow Low Table • S Table with white stand



TECHNICAL SPECIFICATIONS

CRISTALPLANT® is a unique highly-advanced composite material made up of a high percentage of natural minerals (ATH derived from bauxite) and a small percentage of extremely pure polyester and acrylic polymers; thus it is an inert hypoallergenic and non-toxic material.

CRISTALPLANT® is a 100% made-in-Italy solid surface.

CRISTALPLANT® is 100% recyclable, fireproof (class 1), with a high UV resistance; it is compact and non-porous, hygienic and with a soft texture thanks to its velvet finish similar to natural stone.

CRISTALPLANT® is 100% restorable, ie it can be brought back to its original condition simply with a detergent and an abrasive sponge (also cigarette burns can be removed). Its characteristics of durability and restorability make it eco-compatible .

CERAMILUX® for Flow Low Table • S Table with black stand



TECHNICAL SPECIFICATIONS


CERAMILUX® is a material composed of natural minerals (calcium carbonates and aluminium trihydrates) and polyester resin. The gelcoat film coating the surface of the material is made of a highly-resistant acrylate polyester.

CERAMILUX® shows a good resistance to shocks and stress, to bending stress, tractions and compression: this allows it to obtain certain thicknesses without the support of other materials, thus creating self-supporting products.

CERAMILUX® is a high-quality material with an excellent resistance to shocks, sudden

changes of temperature and to wear, typical of the home environment. Good resistance to chemical agents and sun rays.

KERAMIK for tables and coffee tables: Keramik • Lim 04 • Desk • Edgar II • Ra 07 • T Table



TECHNICAL SPECIFICATIONS

Laminated ceramic features uniquely peculiar technical characteristics thanks to the innovative methods of ceramic treatment and production (laminated-porcelainized thin gres).

- Extreme surface hardness (comparable to topaz) and high bending strength.
- Resistant to stains, water, detergents and acids.
- Not inflammable, reaction to fire: class 0.
- Inalterability of the chromatic characteristics.
- It doesn't release toxic substances and there is no warping if heated with open flame

CATAS TESTS PERFORMED ON CERAMIC


- fastness to light UNI 9427/89
- resistance to cold liquids EN 12720/97
- tendency to hold dirt UNI 9300/88 and FA276/89
- scratch resistance UNI9428/89
- reaction of surfaces to detergents PTP53/95

Other tests related to technical characteristics:

- fire resistance, wearproof, hardness resistance, abrasion resistance and water absorption resistance

The material can have slight impurities, due to the particular production treatments, still accepted quality standards are complied with.

RESIN for tables and coffee tables: Desk • Lim 04/Lim 04 Extra• Lim 04 Extension T • Colors/Colors Extra • Colors Extension T • T Table • Ext-Table



TECHNICAL SPECIFICATIONS

The resin is composed of natural minerals and very fine acrylic, mass-pigmented in white. The most advanced production process ensures the highest quality of the surface and high technical performance.


Technical specs:

- It does not absorb: it is non-porous and extremely resistant to stains
- Its colour does not change over years
- It is ecological and hygienic thanks to the acrylic resin
- Easy to clean: no special care is required. For everyday cleaning, simply use a

damp cloth and a soft cleanser.

Stubborn stains, scratches and small cigarette burns can be removed with an abrasive creamy detergent.

CEMENT for table Robin



TECHNICAL SPECIFICATIONS

The attractive hand finished application creates tops in a variety of finishes and colours.

Thanks to this feature, each table becomes a unique, handcrafted product.

Cement is applied by hand with a stain-resistant treatment that prevents the immediate absorption of stains.

As with any material, frequent cleaning is advisable to prevent prolonged contact with dirt and liquids from causing permanent stains.