





Spoon M

Designer: Benedini Associati, 2019



Materials: Cristalplant® Biobased, Marble

Finishes



Measurements

Height:	48 cm	18" 57/64 inches
Length:	160 cm	63" inches
Weight:	67 kg	148 lbs
Depth:	85.4 cm	33" 5/8 inches
Capacity:	250 l	66 gal
Packaging:	100 x 172 x 65 cm	39" 3/8 x 24" 3/8 x 25" 5/8 inches
Total weight:	117 kg	258 lbs

Description


Bathtub in Cristalplant® Biobased or marble without faucet holes; can be positioned against the wall or freestanding. The Cristalplant® Biobased version, with overflow hole, uses chrome drain .MET0477 or .MET0477C (.MET0434 for display bathtubs), the marble version uses siphon drain with integrated overflow. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.

Note

Only the product made of Petit Granit can be used both indoors and outdoors. The bathtub can also be provided with special RAL/NCS colors (on Cristalplant® Biobased base) or in stones and marbles as requested by the customer, with costs to be estimated.




Main dimensions







Dimensions for recess





Dimensions for wall mounted taps





	A*	B**	C
FEZ 2 (EFEZ027)	630 (24" 51/64)	-	80 (3" 5/32)
LIMÓN (ELIM433)	630 (24" 51/64)	-	80 (3" 5/32)
MEMORY (EMEM324, EMEM343)	630 (24" 51/64)	-	80 (3" 5/32)
(EMEM342)	630 (24" 51/64)	-	50 (1" 31/32)
MEMORY MIX (EMIX437)	630 (24" 51/64)	-	50 (1" 31/32)
SQUARE (ERUB1117)	-	700 (27" 9/16)	50 (1" 31/32)
(ERUB1118)	-	700 (27" 9/16)	80 (3" 5/32)
SEN (ESEN0912V)	-	700 (27" 9/16)	50 (1" 31/32)

* inserasse gruppo / axial distance for tap

** filo inferiore gruppo / Tap's lower edge




Dimensions for freestanding spouts



	A	B	C	D	E	F
FEZ 2 (EFEZ026, .MET885)	90 (3"35/64)	180 (7"3/32)	480 (18"57/64)	610 (24"1/64)	620 (24"13/32)	770 (30"5/16)
(EFEZ028)	135 (5"5/16)	210 (8"17/64)	510 (20"5/64)	635 (25")	630 (24"51/64)	780 (30"45/64)
LIMÓN (ELIM425)	135 (5"5/16)	210 (8"17/64)	510 (20"5/64)	635 (25")	630 (24"51/64)	780 (30"45/64)
MEMORY (EMEM325)	135 (5"5/16)	210 (8"17/64)	510 (20"5/64)	635 (25")	630 (24"51/64)	780 (30"45/64)
MEMORY MIX (EMIX425)	135 (5"5/16)	210 (8"17/64)	510 (20"5/64)	635 (25")	630 (24"51/64)	780 (30"45/64)
LIMÓN / MEMORY / MEMORY MIX (EMEM327)	90 (3"35/64)	180 (7"3/32)	480 (18"57/64)	610 (24"1/64)	620 (24"13/32)	770 (30"5/16)
SQUARE (ERUB1112, ERUB1115)	90 (3"35/64)	180 (7"3/32)	480 (18"57/64)	610 (24"1/64)	620 (24"13/32)	770 (30"5/16)
SEN (ESEN0911, ESEN0977)	90 (3"35/64)	140 (5"33/64)	440 (17"21/64)	565 (22"1/4)	580 (22"53/64)	730 (28"47/64)



Note



La vasca deve essere installata su un pavimento perfettamente piano.
 The bathtub must be positioned on a flat floor surface.

E' necessario predisporre a pavimento un pozzetto.
 It is necessary to prepare a recess in the floor.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca.
 Avoid the installation of floor heating plants in the area under the bathtub.